

## **Study: Acupuncture Improves Fertility in Men, Too**

By Editorial Staff

In many cultures, women are unfairly blamed for the inability of a sexually active couple to conceive. In reality, men suffer from infertility issues just as frequently as women. According to statistics from the National Infertility Association (an organization also known as RESOLVE), between 35 percent and 40 percent of infertility problems among couples are actually caused by male conditions. Several factors may be responsible for male infertility, including low sperm count, abnormal sperm shape and size, and reduced motility. Lifestyle, genetics, and physiological changes can also raise or lower male fertility levels, and can significantly affect a man's ability to produce offspring.

Previous research has shown that acupuncture can improve fertility levels in women. Fewer studies on male infertility have been conducted, although evidence suggests that acupuncture can have an effect on sperm production and quality, without causing any changes in behavior or sexual desire. A recent trial published in *Fertility and Sterility* has shown just how effective acupuncture can be in the treatment of this condition, leading to significant increases in the number of normal sperm and equally significant reductions in structural defects.

In the study, 28 men who were diagnosed with idiopathic infertility received acupuncture twice a week over a period of 5 weeks. The following acupuncture points were used as main points: *Guan yuan* (Ren 4), *shen shu* (UB 23, bilateral), *ci liao* (UB 32, bilateral), *tai cong* (Liv 3, bilateral), and *tai xi* (KI 3, bilateral). Secondary points included *zhu san li* (ST 36, bilateral), *xue hai* (SP 10, bilateral), *san yin jiao* (SP 6, bilateral), *gui lai* (ST 29, bilateral), and *bai hui* (Du 20). Needles were inserted to a depth of between 15 and 25 millimeters, depending on the region of the body being treated. Needles were manipulated for 10 minutes to achieve *de qi*, then left in place for another 25 minutes before being removed.

Semen samples were collected from each of the men after a 3-day period of sexual abstinence. Two samples were collected from each patient: one obtained the day before treatment began, the other after the last acupuncture treatment. Samples from the treatment group were then randomized with semen samples from 12 untreated control patients and analyzed.

Compared to the control group, motility levels increased significantly in semen samples in the men receiving acupuncture. While median motility levels increased from 32% to 37% in the control group, they increased from 44.5% to 50% in the acupuncture group.

The number and percentage of healthy sperm also increased dramatically in the acupuncture patients. At baseline, only 0.06% the sperm among men in the acupuncture group was considered "healthy," while the median number of healthy sperm calculated in ejaculate was  $0.04 \times 10^6$  (40,000). After 10 sessions of treatments, the median percentage of healthy sperm had increased more than four-fold, to 0.26%, while the median number of healthy sperm per sample had reached  $0.2 \times 10^6$  (200,000).

In addition, significant changes in sperm structure and quality were seen in the samples from the acupuncture group. Before treatment, only 22.5% of the sperm samples in the acupuncture patients contained normal-shaped acrosomes, a cap-like structure that develops over the anterior portion of a sperm cell's nucleus. After treatment, the median percentage of normal acrosome shapes showed a "statistically significant improvement" to 38.5%.

Similarly, the percentage of sperm with a normal axoneme pattern increased significantly among men receiving acupuncture. (The axoneme is a microscopic structure that contains a series of tubules arranged in a distinct pattern, and is believed to aid in sperm motility.) Prior to the start of the study, the correct axoneme pattern was present in 52% of sperm in the control group, but only 46.1% in the acupuncture group. After 5 weeks of therapy, the median percentage increased to 52.2% in acupuncture patients, but actually decreased to 38.2% in the control group.

While acupuncture appeared able to improve the overall quality and structural integrity of sperm, it was ineffective against some common sperm pathologies. Apoptosis levels (programmed cell death) in sperm samples were reduced slightly, but not to a statistically significant degree. Median percentages of necrosis (unprogrammed cell death) and sperm immaturity also decreased slightly in the acupuncture group, but not to a level considered statistically significant.

The authors concluded that despite the inability of acupuncture to significantly reduce some sperm abnormalities, the treatment could be used to improve overall sperm quality, leading to the possibility of increased fertility.

"In conjunction with ART or even for reaching natural fertility potential, acupuncture treatment is a simple, noninvasive method that can improve sperm quality," the authors concluded. "Further research is needed to demonstrate what stages and times in spermatogenesis are affected by acupuncture, and how acupuncture causes the physiologic changes in spermatogenesis."

### *References*

1. Hopps CV, Goldstein M. Male infertility: the basics. [Available online](#).
2. Levine D. Boxers or briefs: myths and facts about men's infertility. [Available online](#).
3. Pei J, Strehler E, Noss U, et al. Quantitative evaluation of spermatozoa ultrastructure after acupuncture treatment for idiopathic male infertility. *Fertility and Sterility* July 2005;84(1):141-7.



Page printed from:

[http://www.acupuncturetoday.com/mpacms/at/article.php?id=30217&no\\_paginate=true&no\\_b=true](http://www.acupuncturetoday.com/mpacms/at/article.php?id=30217&no_paginate=true&no_b=true)